


A

B

B

C

D



- [C] 12V DC CONVERTOR  
 [PC] POWER CENTER  
 [LS] HITCH LIGHT WITH SWITCH  
 [PL] LIGHT PORCH  
 [SS] SLIDEOUT SWITCH  
 [S] SWITCH  
 [SL] LIGHT SECURITY  
 [W] LIGHT FROST  
 [L] LIGHT CLEAR  
 [T] LIGHT TRUNK  
 [H] LIGHT HALOGEN

- [W] WATER HEATER  
 [F] FURNACE  
 [P] PUMP  
 [T] THERMOSTAT  
 [S] LP SENSOR  
 [WP] WALL PLATE  
 [RF] REFRIGERATOR  
 [RH] RANGE HOOD  
 [MP] MONITOR PANEL  
 [PV] POWER VENT

- [O] CELL PHONE OUTLET  
 [A] TV ANTENNA OUTLET  
 [HTS] HOME THEATRE SYSTEM  
 [FL] LIGHT FLOURESCENT  
 [GS] GENERATOR SWITCH  
 [PC] POWER CENTER  
 [PJ] PHONE JACK INTERIOR  
 [TFF] THERMOSTAT FANTASTIC FAN  
 [TCA] THERMOSTAT CENTRAL AIR

## NOTES:

- REFER TO PRINT 0.002.570/520 W/30 AMP;  
0.017.092/520 W/50 AMP FOR 12 VOLT  
DISTRIBUTION FOR FUSE BLOCK DETAIL.
- FOR SPEAKER HOOK-UP SEE  
DRAWING 0.002.589/530.
- FOR SECURITY & COURTESY  
SWITCH HOOK-UP SEE  
DRAWING 0.002.585/530.

- [CJ] EXTERIOR CABLE JACK  
 [PB] EXTERIOR PHONE BOX  
 [EEC] EXTERIOR ENTERTAINMENT CENTER  
 [A] AUX BATTERY

A	RE-ROUTED CIRCUITS			GAB	10/23/03			
REV	DESCRIPTION			BY	DATE		ECN	
SG	JAYCO ENG.			THIS DRAWING AND INFORMATION CONTAINED HEREIN IS THE PROPERTY OF JAYCO INC. & CANNOT BE DISCLOSED TO OTHERS WITHOUT WRITTEN AUTHORIZATION OF JAYCO.				
LAYOUT: 12 volt								
LEVELS: 0, 5, 15, 155, 159								
TITLE:								
			SCHEMATIC, ELECTRICAL 12 VOLT					B
DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED ANGULAR: ± 1° FRACTIONAL: ± 1/16"				DR BY: GM		I.N.		
				DATE DR: 08/05/03		FILE: 5001056		
				SELECT SCALE: NTS		SHEET: 1/1		
				N CAT.N. E500		2D		
				D.N. 0.017.436				