

BUBBLE#	GAUGE	COLOR	DROP LOCATIONS	DESCRIPTION
1	14	PURPLE	1 TO 5	BATH WALL DROP
2	14	BLACK	1 TO 3	BATH VANITY LIGHT POWER FEED
3	14	TAN	9 TO 2 TO 7	VANITY LIGHT POWER FEED
4	14	BLACK	1 TO 3 TERM	BATH VENT FAN
5	14	PURPLE	1 TO 5 TERM	VANITY CEILING LIGHT
6	14	BLUE	9 TO 6 TERM	DS SS SPEAKER
7	14	TAN	2 TO 7 TO 11	BATH CEILING LIGHT
8	14	PINK	9 TO 8 TERM	BR FANTASTIC FAN
9	14	BLUE	9 TO 6	KITCHEN CEILING LIGHT
10	14	PINK	9 TO 8	CONVENIENCE CENTER DROP
11	14	BROWN	9 TO 15	BR CEILING LIGHT POWER FEED
12	14	BLACK W/W/W	9 TO 20	KIT CEILING LIGHT POWER FEED
13	18	BLUE W/W	9 TO 10	LR CEILING LIGHTS POWER FEED
14	18	RED W/W	9 TO 13	CLEARANCE MARKER LIGHTS POWER FEED
15	22-7	BROWN	11 TO 9	DS CHASSIS SPEAKER
16	22-7	BROWN	11 TO 9	PS CHASSIS SPEAKER
17	22-7	BROWN	11 TO 9	THERMOSTAT WIRE

BUBBLE#	GAUGE	COLOR	DROP LOCATIONS	DESCRIPTION
10	22-2	BROWN	11 TO 9	FURNACE WIRE
11	18	BLUE W/W	9 TO 10 TERM	DS CHASSIS SPEAKER
12	14	TAN	7 TO 11 TO 16	FURNACE DROP
13	22-7	BROWN	11 TO 9	AC CONTROL MODULE 12V POWER
14	18	RED W/W	11 TO 9	THERMOSTAT WIRE
15	18	RED W/W	11 TO 9	FURNACE WIRE
16	14	BROWN	9 TO 13 TERM	PS SS SPEAKER
17	14	TAN	9 TO 15 TO 18	PS CHASSIS SPEAKER
18	14	TAN	11 TO 16 TO 17	AC CONDUIT
19	14	TAN	16 TO 17 TO 19	REAR LR CEILING LIGHT
20	14	TAN	16 TO 17 TO 19	LR FANTASTIC FAN
21	14	BROWN	15 TO 18 TERM	ENTRY DOOR OH 12V POWER
22	14	TAN	17 TO 19 TERM	ENTRY DOOR OH 12V POWER EC OPTION
23	14	BLACK W/W/W	17 TO 20	FRONT LR CEILING LIGHT
24	14	BLACK W/W/W	17 TO 20	FRONT BUNK LIGHT (NO EC OPTION)
25	14	BLACK W/W/W	17 TO 20	CLEARANCE MARKER LIGHTS
26	14	BLACK W/W/W	17 TO 20	EC LIGHTS
27	14	BLACK W/W/W	17 TO 20	DS SS SPEAKER WIRE
28	14	BLACK W/W/W	17 TO 20	PS SS SPEAKER WIRE
29	14	BLACK W/W/W	17 TO 20	DS SS SPEAKER WIRE
30	14	BLACK W/W/W	17 TO 20	PS SS SPEAKER WIRE

ADD SHEET 2, GTS VERSION ADD CHASSIS SPEAKER WIRES		10/4/11 JM DAS
REVISION HISTORY REVISION DESCRIPTION DATE BY UNIT #		
FOREST RIVER CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED HEREON, NEITHER THIS DRAWING NOR ANY REPRODUCTION THEREOF, MAY BE USED TO MANUFACTURE ANYTHING WITHOUT WRITTEN PERMISSION FROM FOREST RIVER		

Used On SS24S	UNLESS OTHERWISE SPECIFIED: DIMENSIONS IN INCHES FRACTIONS ± 1/8 DECIMALS ± 0.3 ANGULAR ± 1°	FOREST RIVER INC, CLASS C DIVISION
DRAWN BY detail	DATE 7/29/2010	THE DIAGRAM, ROOF WIRING 24S
AN AUTODESK INVENTOR DRAWING	N/A	Drawing Number 602219
Sheet: 1		Rev A


of 2

TOTAL - CIRCUIT #1 (20A)	12
TOTAL - CIRCUIT #2 (15A)	7.05
TOTAL - CIRCUIT #3 (15A)	8.42
TOTAL - CIRCUIT #4 (15A)	8
TOTAL - CIRCUIT #5 (15A)	9.48
TOTAL - CIRCUIT #6 (15A)	8.32
TOTAL - CIRCUIT #7 (15A)	3.16
TOTAL - CIRCUIT #8 (15A)	4.74
TOTAL - CIRCUIT #9 (15A)	7.93
TOTAL - CIRCUIT #9 (15A)	8.92
TOTAL - CIRCUIT #10 (15A)	9.34
TOTAL - CIRCUIT #11 (15A)	6.32
TOTAL - CIRCUIT #12 (15A)	8.6
TOTAL CIRCUIT CURRENT (NO EC OPTION)	94.02
TOTAL CIRCUIT CURRENT (EC OPTION)	109.01

12/19	12/13	12/12	12/11	12/10	12/9	12/8	12/7	12/6	12/5	12/4	12/3	12/2	12/1	11/30	11/29	11/28	11/27	11/26	11/25	11/24	11/23	11/22	11/21	11/20	11/19	11/18	11/17	11/16	11/15	11/14	11/13	11/12	11/11	11/10	11/9	11/8	11/7	11/6	11/5	11/4	11/3	11/2	11/1	10/31	10/30	10/29	10/28	10/27	10/26	10/25	10/24	10/23	10/22	10/21	10/20	10/19	10/18	10/17	10/16	10/15	10/14	10/13	10/12	10/11	10/10	10/9	10/8	10/7	10/6	10/5	10/4	10/3	10/2	10/1	9/30	9/29	9/28	9/27	9/26	9/25	9/24	9/23	9/22	9/21	9/20	9/19	9/18	9/17	9/16	9/15	9/14	9/13	9/12	9/11	9/10	9/9	9/8	9/7	9/6	9/5	9/4	9/3	9/2	9/1	8/31	8/30	8/29	8/28	8/27	8/26	8/25	8/24	8/23	8/22	8/21	8/20	8/19	8/18	8/17	8/16	8/15	8/14	8/13	8/12	8/11	8/10	8/9	8/8	8/7	8/6	8/5	8/4	8/3	8/2	8/1	7/31	7/30	7/29	7/28	7/27	7/26	7/25	7/24	7/23	7/22	7/21	7/20	7/19	7/18	7/17	7/16	7/15	7/14	7/13	7/12	7/11	7/10	7/9	7/8	7/7	7/6	7/5	7/4	7/3	7/2	7/1	6/30	6/29	6/28	6/27	6/26	6/25	6/24	6/23	6/22	6/21	6/20	6/19	6/18	6/17	6/16	6/15	6/14	6/13	6/12	6/11	6/10	6/9	6/8	6/7	6/6	6/5	6/4	6/3	6/2	6/1	5/31	5/30	5/29	5/28	5/27	5/26	5/25	5/24	5/23	5/22	5/21	5/20	5/19	5/18	5/17	5/16	5/15	5/14	5/13	5/12	5/11	5/10	5/9	5/8	5/7	5/6	5/5	5/4	5/3	5/2	5/1	4/30	4/29	4/28	4/27	4/26	4/25	4/24	4/23	4/22	4/21	4/20	4/19	4/18	4/17	4/16	4/15	4/14	4/13	4/12	4/11	4/10	4/9	4/8	4/7	4/6	4/5	4/4	4/3	4/2	4/1	3/31	3/30	3/29	3/28	3/27	3/26	3/25	3/24	3/23	3/22	3/21	3/20	3/19	3/18	3/17	3/16	3/15	3/14	3/13	3/12	3/11	3/10	3/9	3/8	3/7	3/6	3/5	3/4	3/3	3/2	3/1	2/28	2/27	2/26	2/25	2/24	2/23	2/22	2/21	2/20	2/19	2/18	2/17	2/16	2/15	2/14	2/13	2/12	2/11	2/10	2/9	2/8	2/7	2/6	2/5	2/4	2/3	2/2	2/1	1/31	1/30	1/29	1/28	1/27	1/26	1/25	1/24	1/23	1/22	1/21	1/20	1/19	1/18	1/17	1/16	1/15	1/14	1/13	1/12	1/11	1/10	1/9	1/8	1/7	1/6	1/5	1/4	1/3	1/2	1/1
-------	-------	-------	-------	-------	------	------	------	------	------	------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	------	------	------	------	------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----

FOREST RIVER CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED HEREON. NEITHER THIS DRAWING NOR ANY REPRODUCTION THEREOF MAY BE USED TO MANUFACTURE ANYTHING WITHOUT WRITTEN PERMISSION FROM FOREST RIVER.

ITEM DESCRIPTION	PART #	QTY
1 SPEAKER, 5" ROUND CHASSIS	2	2
2 SPEAKER, REAR SURROUND	2	2
3 SPEAKER, FRONT SURROUND	3	3
4 SPEAKER, SUB	1	1
**5 LAB SWITCH, WINEGUARD	1	1
**6 LAB SWITCH, WINEGUARD	1	1
6 SATELLITE DISH	1	1
7 ANTENNA, WINEGUARD	1	1
8 THERMOSTAT	1	1
**9 SATELLITE USER INTERFACE	1	1
**9 SATELLITE USER INTERFACE	1	1
10 RECEPT, COAX CABLE	3	3
11 RECEPT, TELEPHONE	3	3
12 JACKS, RCA, GAMING OUTLET	1	1
13 ABCD SWITCH, WINEGUARD	1	1
14 DETECTOR, SMOKE	1	1
15 PANEL, SWITCH, INVERTER	1	1
16 RECEPT, 12V/COAX CABLE COMBO	1	1
17 STEREO EQ, OUTDOOR	1	1
18 DVD / STEREO CONCERTONE	1	1



NOTE: * INDICATES STANDARD OPTION
 ** ENTERTAINMENT CENTER OPTION (NO CONCERTONE)
 *** ENTERTAINMENT CENTER WITH CONCERTONE OPTION

Handwritten notes and dates: 12/1/9, 12/2/9, 12/3/9, 12/4/9, 12/12/9

FOREST RIVER CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED HEREON, NEITHER THIS DRAWING NOR ANY REPRODUCTION THEREOF MAY BE USED TO MANUFACTURE ANYTHING WITHOUT OUR WRITTEN PERMISSION FROM FOREST RIVER

Used On		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		FOREST RIVER INC. CLASS C DIVISION	
SS24S		TOLERANCES FRACTIONS ANGULAR ± .06 DEGREES ± .05		Title DIAGRAM ELECTRICAL	
DRAWN BY dscat		DATE 11/5/2008		Class Code 0620	
AN AUTODESK INVENTOR DRAWING		Drawing number 602132		Rev A	
		0 Issues		Sheet: 4 of 6	

ITEM #	DESCRIPTION	BULB	WATTS	AMPS	QTY	TOTAL AMPS	CIRCUIT #	COLOR
1	LIGHT, 3" RADIANCE (BR OH)	10W/14	19.92	0.83	2	1.66	8	RED
2	LIGHT, 4.75" RADIANCE (BATH CEILING)	20W/14	20.04	1.67	1	1.67	5	PURPLE
3	LIGHT, DS OUTSIDE (SCARE)	1156	25.20	2.10	1	2.10	3	BROWN
4	LIGHT, 4.75" RADIANCE (VANITY CEILING)	20W/14	40.08	1.67	2	3.34	5	PURPLE
5	LIGHT, 4.75" RADIANCE (BR CEILING)	20W/14	40.08	1.67	2	3.34	5	PURPLE
6	LIGHT, PANCake SINGLE (PS TRUNK)	921	18.96	1.58	1	1.58	8	RED
7	LIGHT, 4.75" RADIANCE (KITCHEN CEILING)	20W/14	60.12	1.67	3	5.01	7	PINK
8	LIGHT, 3" RADIANCE (S/O OH)	10W/14	29.88	0.83	2	2.49	11	GRAY
9	LIGHT, 4.75" RADIANCE (LR REAR)	20W/14	40.08	1.67	2	3.34	3	BROWN
10	LIGHT, 4.75" RADIANCE (LR FRONT)	20W/14	40.08	1.67	2	3.34	3	BROWN
11	LIGHT, 3" RADIANCE (KITCHEN OH)	10W/14	19.92	0.83	2	1.66	6	BLUE
12	LIGHT, PORCH	921	18.96	1.58	1	1.58	6	BLUE
**13	LIGHT, HALOGEN SPOT	10W/14	49.80	0.83	5	4.15	9	TAN
*14	LIGHT, PANCake SINGLE (FRONT BUNK LIGHT)	921	18.96	1.58	1	1.58	9	TAN
15	FAN, LR FANTASTIC		26.40	2.20	1	2.20	9	TAN
16	AC CONTROL MODULE							
17	FAN / LIGHT, (KITCHEN STOVE VENT)		42.00	3.50	1	3.50	6	BLUE
18	FAN, FANTASTIC (BR)		26.40	2.20	1	2.20	9	TAN
19	FAN, BATH		19.80	1.65	1	1.65	9	TAN
20	PUMP, WATER		84.00	7.00	1	7.00	2	ORANGE
21	HEATER PAD, ARCTIC PAC		72.00	6.00	1	6.00	1	YELLOW
22	HEATER PAD, ARCTIC PAC		72.00	6.00	1	6.00	1	YELLOW
23	FURNACE		96.00	8.00	1	8.00	4	GREEN
24	SWITCH, ABCD		1.20	0.10	1	0.10	9	TAN
26	SWITCH, DOUBLE (EC LIGHTS)		0.00	0.00	1	0.00	9	TAN
26	CONVENIENCE CENTER		0.60	0.05	1	0.05	2	ORANGE
27	SWITCH, SINGLE (BR CEILING LIGHTS)		0.00		1	0.00	6	BLUE
28	SWITCH, SINGLE (VANITY CEILING LIGHT)		0.00		1	0.00	5	PURPLE
29	SWITCH, SINGLE (BATH CEILING LIGHT)		0.00		1	0.00	5	PURPLE
30	CONVERTER, 12V		0.00		1	0.00		
31	DISTRIBUTION CENTER		0.00		1	0.00		
32	HEATER, WATER		0.00		1	0.00	2	ORANGE
*33	TV 24" JENSEN 12V (OPTIONAL)		55.20	4.60	1	4.60	10	BLUE-S
**33	TV 32" JENSEN 12V (OPTIONAL)		55.20	4.60	1	4.60	10	BLUE-S
*34	BOOSTER, ANTENNA (STANDARD OPTION)		1.20	0.10	1	0.10	9	TAN
**34	BOOSTER, ANTENNA (EC OPTION)		1.20	0.10	1	0.10	9	TAN
35	DETECTOR, LP / CO		0.96	0.08	1	0.08	6	BLUE
36	SWITCH, DOUBLE (ENTRY WAY)		0.00		1	0.00	6	BLUE
37	SWITCH, 12V DISCONNECT		0.00		1	0.00		
38	ENTERTAINMENT CENTER, OUTSIDE		103.20	8.60	1	8.60	12	BLACK
39	SWITCH, SINGLE (KITCHEN OH LIGHTS)		0.00	0.00	1	0.00	6	BLUE
40	SWITCH, SINGLE (BR OH LIGHTS)		0.00	0.00	1	0.00	8	RED
41	SWITCH, SINGLE (S/O OH LIGHTS)		0.00	0.00	1	0.00	11	GRAY
42	LIGHT, AISLE (ENTRY WAY)		13.20	1.10	1	1.10	6	BLUE

TOTAL - CIRCUIT #1 (20A)	12
TOTAL - CIRCUIT #2 (15A)	7.05
TOTAL - CIRCUIT #3 (15A)	8.76
TOTAL - CIRCUIT #4 (15A)	8
TOTAL - CIRCUIT #5 (15A)	8.35
TOTAL - CIRCUIT #6 (15A)	6.82
TOTAL - CIRCUIT #7 (15A)	5.01
TOTAL - CIRCUIT #8 (15A)	3.24
(NO EC OPTION)	
TOTAL - CIRCUIT #9 (15A)	7.93
(EC OPTION)	
TOTAL - CIRCUIT #10 (15A)	10.50
(BUNK TV OPTION)	
TOTAL - CIRCUIT #11 (15A)	4.60
(EC TV OPTION)	
TOTAL - CIRCUIT #12 (15A)	4.60
TOTAL - CIRCUIT #12 (15A)	2.49
TOTAL - CIRCUIT #12 (15A)	8.6
TOTAL CIRCUIT CURRENT (NO EC OPTION)	88.27
TOTAL CIRCUIT CURRENT (NO EC W/BUNK TV)	92.87
TOTAL CIRCUIT CURRENT (EC OPTION)	90.84
TOTAL CIRCUIT CURRENT (EC OPTION W EC TV)	95.44

12/13
 12/14
 12/15
 12/16
 12/17
 12/18
 12/19
 12/20
 12/21
 12/22
 12/23
 12/24
 12/25
 12/26
 12/27
 12/28
 12/29
 12/30
 12/31

GTS MODEL

FOREST RIVER INC.
 CLASS C DIVISION

FOREST RIVER CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED HEREON, NEITHER THIS DRAWING NOR ANY
 REPRODUCTION THEREOF MAY BE USED TO MANUFACTURE ANYTHING WITH-OUT WRITTEN PERMISSION FROM FOREST RIVER

FOREST RIVER CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL DISCLOSED HEREON, NEITHER THIS DRAWING NOR ANY
 REPRODUCTION THEREOF MAY BE USED TO MANUFACTURE ANYTHING WITH-OUT WRITTEN PERMISSION FROM FOREST RIVER

Used On	SS24S
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES FRACTIONS ANGULAR	
DATE	11/5/2008
DRAWN BY	dstair
AN AUTODESK INVENTOR DRAWING	
Sheet: 6	of 6